SECTION 1: IDENTIFICA	TION OF THE SUBSTANCE/MIXTURE AND OF THE		
COMPANY/UNDERTAKING			
1.1 Product Identifier			
Product Name:	Key Slime Pie Concentrate		
Product Code (SDS No.):	V20939		
1.2 Relevant identified uses of th	ne substance or mixture and uses advised against:		
Use:	Concentrated aromatic raw material. Not for personal use in this form or		
	concentration. For manufacturing use only.		
Uses advised against:	Any use other than recommended use.		
1.3 Details of the supplier of the	Safety Data Sheet:		
Name of Supplier:	Flavour Warehouse LTD		
Address:	Global Way,		
	Darwen,		
	Lancashire,		
	BB3 ORW		
Tel:	+44 1254 460124		
E-mail:	tpd@vampirevape.co.uk		
1.4 Emergency telephone number	1.4 Emergency telephone number		
Emergency Phone No.	+44 1254 460124		
National Response Center	National Poisons Information Service (Birmingham Centre)		
Address	City Hospital,		
	Dudley Road,		
	Birmingham,		
	United Kingdom,		
Emergency Phone No.	+00 448 706 006 266 NHS Direct – 0845 4647 or 111		

SECTION 2: HAZARDS IDENTIFICATION			
2.1 Classification of the substance or mixture			
Regulation (EC) No. 1272/2008	Flam. Liq. 3: Flammable liquid and vapour.		
(CLP)	Skin Sens. 1A: May cause an allergic skin reaction.		
2.2 Label elements – According t	o Regulation (EC) No. 1272/2008 (CLP)		
Hazard Pictograms(s)	GHS02 GHS07		
Signal Word(s)	Warning		
Hazard Statement(s)	H226: Flammable liquid and vapour.		
	H317: May cause an allergic skin reaction		
Precautionary Statement(s)	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition		
	sources. No smoking. P233: Keep container tightly closed.		
	P261: Avoid breathing dust/fume/gas/mist/vapours/spray.		
	P272: Contaminated work clothing should not be allowed out of the workplace.		
	P280: Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.		
	P302+P352: IF ON SKIN: Wash with plenty of water.		
	P333+P313: If skin irritation or rash occurs: Get medical advice/attention.		
	P362+P364: Take off contaminated clothing and wash it before reuse.		
	P370+P378: In case of fire: Use water spray, foam, dry powder or CO2 to extinguish.		

Safety Data Sheet According to Regulation (EC) No's 1907/2006, 1272/2008 and Amendments

Date of Issue: 26/10/18	Version No.: 1	Revision No.: 1
	P501: Dispose of contents in accordar	nce with local, state or national
	legislation.	
2.2 Other hazards		

For full text of H/P Statements see section 16.

None Known.

2.4 Additional Information

SECTION 3: COMPOSIT	TION/INFOR	MATION ON	INGREDI	ENTS	
3.1 Substances					
	Not app	licable.			
3.2 Mixtures					
HAZARDOUS INGREDENT(S)	CAS No.	EC No. REACH Reg. No.	%W/W	HAZARD STATEMENT(S)	HAZARD PICTOGRAM(S)
Propane-1,2-diol	57-55-6	200-338-0	>70	Not Classified	None
pin-2(10)-ene	127-92-3	204-872-5	<1.5	Flam. Liq. 3 H226 Asp. Tox. 1 H304 Skin Irrit. 2 H315 Skin Sens. 1 H317	GHS02 GHS08 GHS07
4-hydroxy-2,5- dimethylfuran2(3H)-one	3658-77-3	222-908-8	<0.2	Skin Sens. 1A H317 Eve Irrit, 2 H319	GHS07

SECTION 4: FIRST A	ID MEASURES		
4.1 Description of first	aid measures		
Inhalation	Treat symptomatically.		
Skin Contact	Take off immediately all contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Medical Advice on this label). Rinse skin with water.		
Eye Contact	Treat symptomatically.		
Ingestion	Treat symptomatically.		
4.2 Most important syr	4.2 Most important symptoms and effects, both acute and delayed		
	Allergic contact dermatitis.		
4.3 Indication of any in	4.3 Indication of any immediate medical attention and special treatment needed		
	Specific treatment (see Medical Advice on this label). Treat symptomatically.		

SECTION 5: FIREFIGHTING MEASURES		
5.1 Extinguishing media		
Suitable Extinguishing media	Use water spray, foam, dry powder or CO2 to extinguish.	
Unsuitable extinguishing	Water jet spray	
media		
5.2 Special hazards arising from	the substance or mixture	
	Flammable liquid and vapour. Combustion or thermal decomposition will	
	evolve toxic and irritant vapours.	
5.3 Advice for firefighters		
	Fire fighters should wear complete protective clothing including self-	
	contained breathing apparatus. If it is safe to do so, containers should be	
	removed from fire area because they are likely to rupture under fire	
	conditions.	

SECTION 6: ACCIDENTAL RELEASE MEASURES		
6.1 Personal precautions, prote	ctive equipment and emergency procedures	
	Provide adequate ventilation. Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Wear suitable protective clothing, gloves and eye/face protection.	
6.2 Environmental precautions		
	This material and its container must be disposed of in a safe way.	
6.3 Methods and material for co	ontainment and cleaning up	
	Adsorb spillages onto sand, earth or any suitable adsorbent material. Use vacuum equipment for collecting spilt materials, where practicable. Containers must not be punctured or destroyed by burning, even when empty.	
6.4 Reference to other sections		
	See Also Section 8, 13.	

SECTION 7: HANDLING AND STORAGE		
7.1 Precautions for safe handling	g	
	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Use explosion-proof electrical/ventilating/lighting/equipment. Use non-sparking tools. Take action to prevent static discharges. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. Avoid breathing dust/fume/gas/mist/vapours/spray.	
7.2 Conditions for safe storage,		
	Store in a well-ventilated place. Keep cool.	
Storage temperature	Ambient.	
Storage life	Stable under normal conditions.	
Incompatible materials	None known.	
7.3 Specific end use(s)		
	Flavour Concentrate for use in producing E-Liquid.	

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION							
8.1 Control parameters							
8.1.1 Occupational Exposure Li	mits						
SUBSTANCE	CAS No.	CAS No. LTEL (8 hr TWA ppm)		LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
Propane-1,2-diol total vapour and particulates	57-55-6	-55-6 150		474			
Propane-1,2-diol particulates	57-55-6	7-55-6		10			
Propane-1,2-diol total vapour and particulates	57-55-6 150		474			Comp.	
REGION			SOURCE				
EU			EU Occup	oational Exposi	ure Limits		
UNITED KINGDOM			Workplace Exposure Limits (WEL)				
Remark			Notes				
IOELV			Indicative Occupational Exposure Limit Value				
8.2 Exposure Controls							
8.2.1 Appropriate	Use non-sparking ventilation systems, approved explosion-proof						
engineering controls	equipment, and intrinsically safe electrical systems. Ensure adequate ventilation. A washing facility/water for eye and skin cleaning purposes						
	ventulation.	~ wasiii	ing racility/	water for eye a	ina skin tie	arming purpt	7363

Date of Issue: 26/10/18	Version No.: 1	Revision No.: 1
-------------------------	----------------	-----------------

	should be present.
8.2.2 Personal protection	
equipment	
Eye Protection	Wear eye protection with side protection (EN166).
Skin Protection	Wear protective clothing and gloves: Impervious gloves (EN 374).
Respiratory Protection	Handling of larger amounts a suitable mask with filter type A (EN14387 or EN405) may be appropriate.
Thermal Hazards	None known.
8.2.3 Environmental	Avoid release to the environment.
Exposure Controls	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES		
9.1 Information on basic physical and chemical properties		
Appearance	Liquid	
Colour	Clear colourless to Straw Colour	
Odour	Characteristic Key Lime Odour	
Odour threshold	Not known.	
рН	Not known.	
Melting point/freezing point	Not known.	
Initial boiling point and	Not known.	
boiling range		
Flash Point	52.8°C	
Evaporation rate	Not known.	
Flammability (solid, gas)	Not known.	
Upper/lower flammability or	Not known.	
explosive limits		
Vapour pressure	Not known.	
Vapour density	Not known.	
Density (g/ml)	Not known.	
Relative density	1.0364 +/- 0.02	
Solubility(ies)	Solubility (Water): Not known.	
	Solubility (other): Not known.	
Partition coefficient: n-	Not known.	
octanol/water		
Auto-ignition temperature	Not known.	
Decomposition Temperature (°C)	Not known.	
Viscosity	Not known.	
Explosive properties	Not known.	
Oxidising properties	Not known.	
9.2 Other Information		
	None.	
L	1	

SECTION 10: STABILITY AND REACTIVITY		
10.1 Reactivity	None anticipated.	
10.2 Chemical Stability	Stable under normal conditions.	
10.3 Possibility of hazardous	No hazardous reactions known is used for its intended purpose	
reactions		
10.4 Conditions to avoid	Avoid friction, sparks, or other means of ignition.	
10.5 Incompatible materials	Not known.	
10.6 Hazardous	No hazardous decomposition products known.	
decomposition products		

SECTION 11: TOXICOLOGICAL INFORMATION		
11.1 Information on toxicological effects		
Acute toxicity – Ingestion	Not classified.	
Acute toxicity – Skin Contact	Not classified.	
Acute toxicity – Inhalation	Not classified.	
Skin corrosion/irritation	Not classified.	
Serious eye damage/irritation	Not classified.	
Skin sensitization data	Calculation method: May cause an allergic skin reaction.	
Respiratory sensitization data	Not classified.	
Germ cell mutagenicity	Not classified.	
Carcinogenicity	Not classified.	
Reproductive toxicity	Not classified.	
Lactation	Not classified.	
STOT – single exposure	Not classified.	
STOT – repeated exposure	Not classified.	
Aspiration hazard	Not classified.	
11.2 Other information		
	Not known.	

SECTION 12: ECOLOGICAL INFORMATION			
12.1 Toxicity			
Toxicity – Aquatic	Low toxicity to invertebrates		
invertebrates			
Toxicity – Fish	Low toxicity to fish		
Toxicity – Algae	Low toxicity to algae.		
Toxicity – Sediment	Not classified.		
Compartment			
Toxicity – Terrestrial	Not classified.		
Compartment			
12.2 Persistence and Degradation	on		
	Not known.		
12.3 Bio accumulative potential			
	Not known.		
12.4 Mobility in soil	12.4 Mobility in soil		
	Not known.		
12.5 Results of PBT and vPvB assessment			
	Not known.		
12.6 Other adverse effects			
	Not known.		

SECTION 13: DISPOSAL CONSIDERATIONS		
13.1 Waste treatment methods		
	Disposal should be in accordance with local, state or national legislation.	
13.2 Additional Information		
	Disposal should be in accordance with local, state or national legislation.	

SECTION 14: TRANSPORT INFORMATION	
14.1 UN Number	

	1	T	T .
	ADR/RID	IMDG	IATA/ICAO
UN Number:	1197	1197	1197
14.2 UN Proper Shipping I	Name		
	ADR/RID	IMDG	IATA/ICAO
UN Proper Shipping	EXTRACTS,	EXTRACTS,	EXTRACTS,
Name:	FLAVOURING, LIQUID	FLAVOURING, LIQUID	FLAVOURING, LIQUID
14.3 Transport Hazard Cla	ss(es)		
	ADR/RID	IMDG	IATA/ICAO
Transport Class	3	3	3
14.4 Packing Group			
	ADR/RID	IMDG	IATA/ICAO
Packing Group:	III	III	III
14.5 Environment Hazard	s		
	ADR/RID	IMDG	IATA/ICAO
Environmental Hazards:	Not classified as a	Not classified as a	Not classified as a
	Marine Pollutant.	Marine Pollutant.	Marine Pollutant.
14.6 Special Precautions For User			
See Section 2			
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code			
	ADR/RID	IMDG	IATA/ICAO
Transport In Bulk:	No information available	No information available	No information available

SECTION 15: REGULATORY INFORMATION		
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture		
	This datasheet has been prepared in accordance with Regulation (EC) 1907/2008.	
15.2 Chemical Safety Assessment		
	A REACH chemical safety assessment has not been carried out.	

SECTION 16: OTHER INFORMATION			
The following sections contain revisions or new statements:			
LEGEND			
Hazard Pictogram(s)	GHS02 GHS07		
	GHS08		
Hazard classification	Asp. Tox. 1 : Aspiration hazard, Category 1		
	Eye Irrit. 2 : Serious eye damage/irritation, Category 2		
	Flam. Liq. 3 : Flammable liquid, Category 3		
	Skin Irrit. 2 : Skin corrosion/irritation, Category 2		
	Skin Sens. 1 : Skin sensitization, Category 1		
	Skin Sens. 1A: Skin sensitization, Category 1A		
Hazard Statement(s)	H226: Flammable liquid and vapour.		
	H302: Harmful if swallowed.		
	H304: May be fatal if swallowed and enters airways.		
	H315: Causes skin irritation.		
	H317: May cause an allergic skin reaction.		
	H319: Causes serious eye irritation.		
Precautionary Statement(s)	P210: Keep away from heat, hot surfaces, sparks, open flames and other		
	ignition sources. No smoking.		
	P233: Keep container tightly closed.		
	P240: Ground and bond container and receiving equipment.		
	P241: Use explosion-proof electrical/ventilating/lighting/equipment.		

Date of Issue: 26/10/18	Version No.: 1	Revision No.: 1
	D242. Hee non enarling to	No.
	P272: Contaminated work of workplace. P280: Wear protective glov protection/hearing protection/hearing	nt static discharges. /fume/gas/mist/vapours/spray. clothing should not be allowed out of the es/protective clothing/eye protection/face ion. esh with plenty of water. IN (or hair): Take off immediately all eter. ee Medical Advice on this label). n or rash occurs: Get medical advice/attention. minated clothing and wash it before reuse. Use water spray, foam, dry powder or CO2 to
		ventilated place. Keep cool. n accordance with local, state or national
Acronyms	ADN: European Agreement Dangerous Goods by Inland Waterway. ADR: European Agreement Dangerous Goods by Road CAS: Chemical Abstracts Se CLP: Regulation (EC) No 12 packaging of substances and mixtures DNEL: Derived No Effect Le EC: European Community EINECS: European Inventor IATA: International Air Tran IBC: Intermediate Bulk Con ICAO: International Civil Av IMDG: International Mariti LTEL: Long term exposure I PBT: Persistent, Bioaccumu PNEC: Predicted No Effect REACH: Registration, Evalu Chemicals RID: Regulations concernin Goods by Rail STEL: Short term exposure STOT: Specific Target Organ UN: United Nations vPvB: very Persistent and v	ervice 72/2008 on classification, labelling and evel ry of Existing Commercial Chemical Substances resport Association retainer viation Organization me Dangerous Goods limit clative and Toxic Concentration ation, Authorisation and Restriction of reg the International Carriage of Dangerous limit n Toxicity rery Bioaccumulative
Disclaimers	Information contained in the Users is believed to be accurately Users to satisfy themselves particular purpose. Flavour fitness of the product for an or condition (statutory or o exclusion is prevented by later the Users of the product of the product for an or condition (statutory or o exclusion is prevented by later the Users of the Users of the product for an or condition (statutory or o exclusion is prevented by later the Users of the Users	nis publication or as otherwise supplied to arate and is given in good faith, but it is for the of the suitability of the product for their own Warehouse LTD gives no warranty as to the ny particular purpose and any implied warranty therwise) is excluded except to the extent that aw. Flavour Warehouse LTD accepts no liability man that arising from death or personal injury

Safety Data Sheet According to Regulation (EC) No's 1907/2006, 1272/2008 and Amendments

Date of Issue: 26/10/18	Version No.: 1	Revision No.: 1	
	caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be		
	assumed.		