Date of Issue:	28/09/18
----------------	----------

Version No.: 2

Revision No.: 1

SECTION 1: IDENTIFICA	TION OF THE SUBSTANCE/MIXTURE AND OF THE			
COMPANY/UNDERTAKING				
1.1 Product Identifier				
Product Name:	Strawberry Concentrate			
Product Code (SDS No.):	V20364			
1.2 Relevant identified uses of the	ne substance or mixture and uses advised against:			
Use:	Concentrated aromatic raw material. Not for personal use in this form or			
	concentration. For manufacturing use only.			
Uses advised against:	Any use other than recommended use.			
1.3 Details of the supplier of the	Safety Data Sheet:			
Name of Supplier:	Flavour Warehouse LTD			
Address:	Global Way,			
	Darwen,			
	Lancashire,			
	BB3 ORW			
Tel:	+44 1254 460124			
E-mail:	tpd@vampirevape.co.uk			
1.4 Emergency telephone number	er			
Emergency Phone No.	+44 1254 460124			
National Response Center	National Poisons Information Service (Birmingham Centre)			
Address	City Hospital,			
	Dudley Road,			
	Birmingham,			
	United Kingdom,			
Emergency Phone No.	+00 448 706 006 266 NHS Direct – 0845 4647 or 111			

SECTION 2: HAZARDS IDEN	TIFICATION
2.1 Classification of the substance	e or mixture
Regulation (EC) No. 1272/2008	Flam. Liq. 3: Flammable liquid and vapour.
(CLP)	Skin Sens. 1A: May cause an allergic skin reaction.
2.2 Label elements – According t	o Regulation (EC) No. 1272/2008 (CLP)
Hazard Pictograms(s)	GHS02 GHS07
Signal Word(s)	Warning
Hazard Statement(s)	H226: Flammable liquid and vapour.
	H317: May cause an allergic skin reaction
Precautionary Statement(s)	P210: Keep away from heat, hot surfaces, sparks, open flames and other
	ignition sources. No smoking.
	P233: Keep container tightly closed.
	P261: Avoid breathing dust/fume/gas/mist/vapours/spray.
	P272: Contaminated work clothing should not be allowed out of the workplace.
	P280: Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
	P302+P352: IF ON SKIN: Wash with plenty of water.
	P333+P313: If skin irritation or rash occurs: Get medical advice/attention.
	P362+P364: Take off contaminated clothing and wash it before reuse.
	P370+P378: In case of fire: Use water spray, foam, dry powder or CO2 to
	extinguish.
	P501: Dispose of contents in accordance with local, state or national

Date of Issue: 28/09/18	Version No.: 2 Revision No.: 1		
I	egislation.		
2.3 Other hazards			
1	None Known.		
2.4 Additional Information			
F	For full text of H/P Statements see section 16.		

<b>SECTION 3: COMPOSIT</b>	ION/INFOR	MATION ON	INGREDI	ENTS	
3.1 Substances					
Not applicable.					
3.2 Mixtures					
HAZARDOUS	CAS No.	EC No.	%W/W	HAZARD	HAZARD
INGREDENT(S)	REACH Reg.			STATEMENT(S)	PICTOGRAM(S)
		No.			
Propane-1,2-diol	57-55-6	200-338-0	<90	Not Classified	None
ethyl 2-methylbutyrate	7452-79-1	231-225-4	<2	Flam. Liq. 3 H226	GHS02
4-hydroxy-2,5-	3658-77-3	222-908-8	<1	Skin Sens. 1A H317	GHS07
dimethylfuran2(3H)-one				Eye Irrit. 2 H319	

SECTION 4: FIRST AID M	EASURES
4.1 Description of first aid me	easures
Inhalation	Treat symptomatically.
Skin Contact	Take off immediately all contaminated clothing and wash it before reuse.
	If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Medical Advice on this label). Rinse skin with water.
Eye Contact	Treat symptomatically.
Ingestion	Treat symptomatically.
4.2 Most important sympton	ns and effects, both acute and delayed
	Allergic contact dermatitis.
4.3 Indication of any immedi	ate medical attention and special treatment needed
	Specific treatment (see Medical Advice on this label). Treat
	symptomatically.

<b>SECTION 5: FIREFIGHTING</b>	MEASURES
5.1 Extinguishing media	
Suitable Extinguishing media	Use water spray, foam, dry powder or CO2 to extinguish.
Unsuitable extinguishing	Water jet spray
media	
5.2 Special hazards arising from	the substance or mixture
	Flammable liquid and vapour. Combustion or thermal decomposition will
	evolve toxic and irritant vapours.
5.3 Advice for firefighters	
	Fire fighters should wear complete protective clothing including self- contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions.

SECTION 6: ACCIDENTAL RELEASE MEASURES		
6.1 Personal precautions, protective equipment and emergency procedures		
	Provide adequate ventilation. Use non-sparking ventilation systems,	
	approved explosion-proof equipment, and intrinsically safe electrical	

Date of Issue: 28/09/18	Version No.: 2	Revision No.: 1		
	systems. Wear suitable protective clothing, gloves and eye/face			
	protection.			
6.2 Environmental precautions				
	This material and its container must be disposed of in a safe way.			
6.3 Methods and material for c	ontainment and cleaning up			
	vacuum equipment for collect	earth or any suitable adsorbent material. Use cting spilt materials, where practicable. ctured or destroyed by burning, even when		
6.4 Reference to other sections				
	See Also Section 8, 13.			

SECTION 7: HANDLING AND STORAGE		
7.1 Precautions for safe hand	dling	
7.2 Conditions for safe stora	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Use explosion-proof [electrical/ventilating/lighting/] equipment. Use non-sparking tools. Take action to prevent static discharges. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. Avoid breathing dust/fume/gas/mist/vapours/spray. ge, including any incompatibilities	
	Store in a well-ventilated place. Keep cool.	
Storage temperature	Ambient.	
Storage life	Stable under normal conditions.	
Incompatible materials	None known.	
7.3 Specific end use(s)		
	Flavour Concentrate for use in producing E-Liquid.	

<b>SECTION 8: EXPOSURE CO</b>	NTROLS/PE	RSON	AL PROT	ECTION			
8.1 Control parameters							
8.1.1 Occupational Exposure Li	mits						
SUBSTANCE	CAS No.	o. LTEL (8 hr TWA ppm)		LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
Propane-1,2-diol total vapour and particulates	57-55-6	150		474			
Propane-1,2-diol particulates	57-55-6			10			
Propane-1,2-diol total vapour and particulates	57-55-6	150		474			Comp.
Ethyl acetate	141-78-6	200			400		
Ethyl acetate	141-78-6	734		200	1468	400	IOELV
Propionic acid	79-09-4	10		31	15	46	
Propionic acid	79-09-4	10		31	20	62	IOELV
REGION		SOURCE					
EU			EU Occupational Exposure Limits				
UNITED KINGDOM			Workplace Exposure Limits (WEL)				
Remark			Notes				
IOELV			Indicative Occupational Exposure Limit Value				
8.2 Exposure Controls							
8.2.1 Appropriate	Use non-sparking ventilation systems, approved explosion-proof						
engineering controls	equipment, and intrinsically safe electrical systems. Ensure adequate ventilation. A washing facility/water for eye and skin cleaning purposes						

Date of Issue: 28/09/18Version No.: 2Revision No.: 1	
--	--

	should be present.	
8.2.2 Personal protection equipment		
Eye Protection	Wear eye protection with side protection (EN166).	
Skin Protection	Wear protective clothing and gloves: Impervious gloves (EN 374).	
<b>Respiratory Protection</b>	Handling of larger amounts a suitable mask with filter type A (EN14387 or EN405) may be appropriate.	
Thermal Hazards	None known.	
8.2.3 Environmental Exposure Controls	Avoid release to the environment.	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES		
9.1 Information on basic physical and chemical properties		
Appearance	Liquid	
Colour	Clear colourless to Straw Colour	
Odour	Characteristic Strawberry Odour	
Odour threshold	Not known.	
рН	Not known.	
Melting point/freezing point	Not known.	
Initial boiling point and	Not known.	
boiling range		
Flash Point	47.5°C	
Evaporation rate	Not known.	
Flammability (solid, gas)	Not known.	
Upper/lower flammability or	Not known.	
explosive limits		
Vapour pressure	Not known.	
Vapour density	Not known.	
Density (g/ml)	Not known.	
Relative density	1.0257 +/- 0.02	
Solubility(ies)	Solubility (Water): Not known.	
	Solubility (other): Not known.	
Partition coefficient: n-	Not known.	
octanol/water		
Auto-ignition temperature	Not known.	
Decomposition Temperature (°C)	Not known.	
Viscosity	Not known.	
Explosive properties	Not known.	
Oxidising properties	Not known.	
9.2 Other Information		
	None.	

SECTION 10: STABILITY AND REACTIVITY			
10.1 Reactivity	None anticipated.		
10.2 Chemical Stability	Stable under normal conditions.		
10.3 Possibility of hazardous	No hazardous reactions known is used for its intended purpose		
reactions			
10.4 Conditions to avoid	Avoid friction, sparks, or other means of ignition.		
10.5 Incompatible materials	Not known.		
10.6 Hazardous	No hazardous decomposition products known.		
decomposition products			

Date of Issue: 28/09/18	Version No.: 2	Revision No.: 1

SECTION 11: TOXICOLOGICAL INFORMATION		
11.1 Information on toxicological effects		
Acute toxicity – Ingestion	Not classified.	
Acute toxicity – Skin Contact	Not classified.	
Acute toxicity – Inhalation	Not classified.	
Skin corrosion/irritation	Not classified.	
Serious eye damage/irritation	Not classified.	
Skin sensitization data	Calculation method: May cause an allergic skin reaction	
Respiratory sensitization data	Not classified.	
Germ cell mutagenicity	Not classified.	
Carcinogenicity	Not classified.	
Reproductive toxicity	Not classified.	
Lactation	Not classified.	
STOT – single exposure	Not classified.	
STOT – repeated exposure	Not classified.	
Aspiration hazard	Not classified.	
11.2 Other information		
	Not known.	

SECTION 12: ECOLOGICAL INFORMATION			
12.1 Toxicity			
Toxicity – Aquatic	Low toxicity to invertebrates.		
invertebrates			
Toxicity – Fish	Low toxicity to fish.		
Toxicity – Algae	Low toxicity to algae.		
Toxicity – Sediment	Not classified		
Compartment			
Toxicity – Terrestrial	Not classified		
Compartment			
12.2 Persistence and Degradati	on		
	Not known.		
12.3 Bio accumulative potentia			
	Not known.		
12.4 Mobility in soil	12.4 Mobility in soil		
	Not known.		
12.5 Results of PBT and vPvB assessment			
	Not known.		
12.6 Other adverse effects			
	Not known.		

SECTION 13: DISPOSAL CONSIDERATIONS 13.1 Waste treatment methods		
13.2 Additional Information		
	Disposal should be in accordance with local, state or national legislation.	

Date of Issue: 28/09/18	Version No.: 2	Revision No.: 1

SECTION 14: TRANSPO	ORT INFORMATION		
14.1 UN Number			
	ADR/RID	IMDG	IATA/ICAO
UN Number:	1197	1197	1197
14.2 UN Proper Shipping I	Name		
	ADR/RID	IMDG	IATA/ICAO
UN Proper Shipping	EXTRACTS,	EXTRACTS,	EXTRACTS,
Name:	FLAVOURING, LIQUID	FLAVOURING, LIQUID	FLAVOURING, LIQUID
14.3 Transport Hazard Cla	ss(es)		
	ADR/RID	IMDG	IATA/ICAO
Transport Class	3	3	3
14.4 Packing Group			
	ADR/RID	IMDG	IATA/ICAO
Packing Group:	III	III	III
14.5 Environment Hazard	S		
	ADR/RID	IMDG	IATA/ICAO
Environmental Hazards:	None assigned.	Not classified as a	Not classified as a
		Marine Pollutant.	Marine Pollutant.
14.6 Special Precautions F	or User		
See Section 2			
14.7 Transport in bulk acc	ording to Annex II of MARP	OL 73/78 and the IBC Code	
	ADR/RID	IMDG	IATA/ICAO
Transport In Bulk:	No information available	No information available	No information available

SECTION 15: REGULATORY INFORMATION		
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture		
	This datasheet has been prepared in accordance with Regulation (EC) 1907/2008.	
15.2 Chemical Safety Assessment		
	A REACH chemical safety assessment has not been carried out.	

SECTION 16: OTHER INFORMATION		
The following sections contain revisions or new statements:		
LEGEND		
Hazard Pictogram(s)	GHS02 GHS07	
Hazard classification	Eye Irrit. 2 : Serious eye damage/irritation, Category 2	
	Flam. Liq. 3 : Flammable liquid, Category 3	
	Skin Sens. 1A : Skin sensitization, Category 1A	
Hazard Statement(s)	H226: Flammable liquid and vapour.	
	H317: May cause an allergic skin reaction.	
	H319: Causes serious eye irritation.	
Precautionary Statement(s)	P210: Keep away from heat, hot surfaces, sparks, open flames and other	
	ignition	
	sources. No smoking.	
	P233: Keep container tightly closed.	
	P240: Ground and bond container and receiving equipment.	
	P241: Use explosion-proof [electrical/ventilating/lighting/] equipment.	
	P242: Use non-sparking tools.	
	P243: Take action to prevent static discharges.	
	P261: Avoid breathing dust/fume/gas/mist/vapours/spray.	

Date of Issue: 28/09/18	Version No.: 2	Revision No.: 1		
D272. Contenting to during the dathing should not be allowed out of the				
	<ul> <li>P272: Contaminated work clothing should not be allowed out of the workplace.</li> <li>P280: Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.</li> <li>P302+P352: IF ON SKIN: Wash with plenty of water.</li> <li>P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.</li> <li>P333+P313: If skin irritation or rash occurs: Get medical advice/attention.</li> <li>P362+P364: Take off contaminated clothing and wash it before reuse.</li> <li>P370+P378: In case of fire: Use water spray, foam, dry powder or CO2 to extinguish.</li> <li>P403+P235: Store in a well-ventilated place. Keep cool.</li> </ul>			
	legislation.			
Acronyms	<ul> <li>P501: Dispose of contents in accordance with local, state or national legislation.</li> <li>ADN : European Agreement concerning the International Carriage of Dangerous</li> <li>Goods by Inland Waterways</li> <li>ADR : European Agreement concerning the International Carriage of Dangerous</li> <li>Goods by Road</li> <li>CAS : Chemical Abstracts Service</li> <li>CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures</li> <li>DNEL : Derived No Effect Level</li> <li>EC : European Community</li> <li>EINECS : European Inventory of Existing Commercial Chemical Substances</li> <li>IATA : International Air Transport Association</li> <li>IBC : Intermediate Bulk Container</li> <li>ICAO : International Maritime Dangerous Goods</li> <li>LTEL : Long term exposure limit</li> <li>PBT : Persistent, Bioaccumulative and Toxic</li> <li>PNEC : Predicted No Effect Concentration</li> <li>REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals</li> <li>RID : Regulations concerning the International Carriage of Dangerous</li> <li>Goods by Rail</li> <li>STEL : Short term exposure limit</li> </ul>			
	UN : United Nations vPvB : very Persistent and very Bioaccumulative			
Disclaimers	Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Flavour Warehouse LTD gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Flavour Warehouse LTD accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.			